















EQUIPMENT CATALOGUE EXPORT

**TESTING EQUIPMENT
and Original Accessories**

EFFECTIVE FROM MARCH 2026

REL. MARCH 2026

COLOR TABLE

	RAL 3002	Corghi	/16
	RAL 3000	Citroen Red	/12
	RAL 7015	Mercedes Grey	/52
	RAL 7011	Mercedes Grey	/33
	RAL 7012	Mercedes Grey	/65
	RAL 7040	Volkswagen / Fiat / Porsche Grey	/39
	RAL 7030	Maserati / Ferrari Grey	/69
	RAL 7016	BMW Grey	/34 (orange-peel)
	RAL 5011	Peugeot Blue	/A4 or /22 (orange-peel)
	RAL 1003	Renault Yellow	/45
	RAL 7042	Renault Grey	/38
	RAL 9005	Lamborghini Black	/90 (orange-peel)

Different colors subject to confirmation of the Export dept, with possible surcharge.

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

ROLLER BRAKE TESTER FOR TRUCKS AND BUSES

T-BT 115-2S	
T-BT 111 E	
COMPULSORY ACCESSORIES FOR T-BT 115-2S - T-BT 111 E	
OPTIONAL ACCESSORIES FOR T-BT 115-2S - T-BT 111 E	
BT 100 E/3	
BT 90 PRO	
COMPULSORY ACCESSORIES FOR BT 100 E/3 - BT 90 PRO	
OPTIONAL ACCESSORIES FOR BT 100 E/3 - BT 90 PRO	

SUSPENSION TEST BENCH FOR PASSENGER CARS AND VANS

ST 200 E-NX	
COMPULSORY ACCESSORIES FOR ST 200 E-NX	
OPTIONAL ACCESSORIES FOR ST 200 E-NX	

ROLLER BRAKE TESTER FOR MOTORCYCLE

BT800	
COMPULSORY ACCESSORIES FOR BT800	
OPTIONAL ACCESSORIES FOR BT800	
COMPULSORY ACCESSORIES FOR 3/4 WHEEL VEHICLES AND QUAD BIKES	
OPTIONAL ACCESSORIES FOR 3/4 WHEEL VEHICLES AND QUAD BIKES	

PLAY DETECTOR FOR PASSENGER CARS

PT400C-1	
T-PT411	
COMPULSORY ACCESSORIES FOR T-PT411	

CAMERA HEAD LIGHT TESTERS FOR ALL VEHICLES

PFT-CAM	
OPTIONAL ACCESSORIES FOR PFT-CAM	
HT970	
OPTIONAL ACCESSORIES FOR HT970	

GAS ANALYSERS

GAS810	
GAS830	
OPTIONAL ACCESSORIES FOR GAS810_GAS830	

4	SMOKE METERS	34
4	OPA 820	34
5	OPA 840	34
6	OPTIONAL ACCESSORIES FOR - OPA820-OPA840	35
6	OPTIONAL ACCESSORIES FOR GAS ANALYSERS AND SMOKE METERS	36
9		
10	RPM COUNTER AND OIL TEMPERATURE PROBE	38
11	RPM COUNTER 165	38
12	ACCESSORIES FOR RPM COUNTER 165	39
15		
15		
16		
17		
19		
19		
20		
21		
22		
23		
25		
25		
26		
27		
28		
28		
29		
30		
31		
32		
32		
32		
33		


T-BT 115-2S

STANDARD ACCESSORIES



Blocco Rulli

Cabinato di misura



- General features:
- Heavy-duty brake tester for truck, bus and trailer.
 - 20 t roller bench with weighing unit.
 - PC, monitor and radio remote control included.
 - Shifted rollers L=1070 mm x Ø 250 mm
 - Epoxy and silica coating
 - Grip coefficient: 0.8
 - "Reverse" system for 4WD vehicles. Manual or automatic operational programme
 - Automatic roller arrest upon reaching slip threshold or max. pedal force
 - Radio remote control and pedal force sensor for use by single operator


Includes: operator's manual

ATTENTION: The printer must be ordered separately
Non-standard voltages must be specified by the client and authorised by the sales department in advance.

Code	Description
0-61102003/16	<p>Indoor cabinet</p> <ul style="list-style-type: none"> - PC with DVD reader and Windows compatible software - Information and Help display with colour SVGA screen - A4 colour printer available upon request - Alphanumeric PC keyboard with track ball for preselecting tests and setting parameters - Built-in CE compliant electrical board - Different voltages available on request <p>Roller Bed</p> <ul style="list-style-type: none"> - Twin roller bed - Max Force 6kN/40 kN - Max. weight per axle: 20.000 Kg - Geared motors: 2x5,5/15 KW self-braking - Two rotation speeds:- 2,5 Km/h for vehicles > 3,5 T - 5 Km/h for vehicles < 3,5 T - Shifted rollers L=1070 x D.250 mm - Special plastic cement – coating gritted rollers - Adherence coefficient: 0,8 - High precision strain gauge transducers - Weighing unit for truck axles included

T-BT 111 E

STANDARD ACCESSORIES



General features

- Heavy-duty brake tester for truck, bus and trailer.
- 20 t roller bench with weighing unit.
- PC, monitor and radio remote control included.
- Shifted rollers L=1070 mm x Ø 250 mm
- Epoxy and silica coating
- Grip coefficient: 0.8
- "Reverse" system for 4WD vehicles. Manual or automatic operational programme
- Automatic roller arrest upon reaching slip threshold or max. pedal force
- Radio remote control and pedal force sensor for use by single operator


Includes: Operator's manual

ATTENTION: The printer must be ordered separately
Non-standard voltages must be specified by the client and authorised by the sales department in advance.





Code	Description
0-61102801/16	Indoor cabinet <ul style="list-style-type: none"> - PC with DVD reader and Windows compatible software - Information and Help display with colour SVGA screen - A4 colour printer available upon request - Alphanumeric PC keyboard with track ball for preselecting tests and setting parameters - Built-in CE compliant electrical board - Different voltages available on request
8-61200280	Twin Roller Bed <ul style="list-style-type: none"> - Max Force 40 kN - Max. weight per axle: 20.000 Kg - Geared motors: 11 KW self-braking - Rotation speeds: 2,5 Km/h - Shifted rollers L=1070 x D.250 mm - Special plastic cement – coating gritted rollers - Adherence coefficient: 0,8 - High precision strain gauge transducers - Weighing unit for truck axles included




COMPULSORY ACCESSORIES FOR T-BT 115-2S - T-BT 111 E

Image	Description	Code	
	<p>Inkjet USB A4 colour printer</p>	<p>8-61200503</p>	




OPTIONAL ACCESSORIES FOR T-BT 115-2S - T-BT 111 E

Image	Description	Code	
	<p>Digital gauge for calibrating FS. 5000 Kg truck roller tester with measurement report.</p>	<p>806269909</p>	
	<p>Braking force calibration kit for truck roller testers.</p>	<p>8-61200001</p>	

OPTIONAL ACCESSORIES FOR T-BT 115-2S - T-BT 111 E

Image	Description	Code	
	<p>Weighing force calibration kit for truck roller testers.</p>	806269021	
	<p>Weight calibration kit mounting frame. Pair of foundation bases for mounting the weight calibration kit. To be installed during pit construction.</p>	8-61200109	
	<p>8 port multiseri board Additional multiseri PCI e board for connecting serial devices (analyser, headlight tester etc.).</p>	8-61200520	
	<p>Flush installation frames Also include foundation base for mounting weight calibration kit. To be installed during pit construction.</p>	8-61200092	

OPTIONAL ACCESSORIES FOR T-BT 115-2S - T-BT 111 E

Image	Description	Code	
	<p>Pedal dynamometer kit To be connected to (radio or infrared) remote control.</p>	806468073	
ADDITIONAL EQUIPMENT			
	<p>SS311 side slip plate for truck.</p>	5203000009	
	<p>P1 - (NG) Brake system pressure measuring system: basic kit (1 P1 transmitter + 1 receiver)</p>	8-61220014	
	<p>P2/P3 - (NG) 1 additional P2/P3 transmitter.</p>	8-61220015	

BT 100 E/3

STANDARD ACCESSORIES



General features:

- PC with DVD reader and Windows compatible software
- Information and Help display with colour SVGA screen
- Alphanumeric PC keyboard with track ball for pre-selecting tests and setting parameters
- "Reverse" system for 4WD vehicles. Manual or automatic operational programme
- Built-in CE compliant electrical board
- Automatic roller arrest upon reaching slip threshold or max. pedal force
- Optional remote control (radio/infrared and pedal force sensor) for use by a single operator
- Max load: 3t/axle

Includes: operator's manual

ATTENTION: printer and monitor must be selected and ordered separately.
Remote control and pedal dynamometer must be selected and ordered separately.



Code	Description
0-61100902/16	BT100E/3 2x4,8 kW Electric motors Roller bench coated with epoxy and silica
0-61101102/16	BT100E/3 ICE 2x4,8 Kw ICE roller bench electrically welded coating
0-61102402/16	BT100E/3 NFR 2x5,5 Kw NFR roller bench coated with epoxy and silica

ATTENTION! NON-STANDARD VOLTAGES MUST BE SPECIFIED BY THE CLIENT AND AUTHORISED BY THE SALES DEPARTMENT IN ADVANCE.

ROLLER BRAKE TESTER FOR PASSENGER CARS AND VANS

BT 90 PRO

STANDARD ACCESSORIES



General features:

- PC with DVD reader and Windows compatible software
- Information and Help display with colour SVGA screen
- Alphanumeric PC keyboard with track ball for pre-selecting tests and setting parameters
- "Reverse" system for 4WD vehicles. Manual or automatic operational programme
- Built-in CE compliant electrical board
- Automatic roller arrest upon reaching slip threshold or max. pedal force
- Optional remote control (radio/infrared and pedal force sensor) for use by a single operator
- Max load: 3t/axle

Includes: operator's manual

ATTENTION: printers and monitor must be selected and ordered separately.





Remote control and pedal dynamometer must be selected and ordered separately.




Code	Description
0-61101202/16	BT90 PRO 2x3 kW Roller bench coated with epoxy and silica.
0-61101302/16	BT90 ICE 2x3 Kw Roller bench electrically welded coating.
0-61101203/16	BT90 PRO 2X4,8kW 230Vac/3/60Hz Roller bench coated with epoxy and silica

ATTENTION! NON-STANDARD VOLTAGES MUST BE SPECIFIED BY THE CLIENT AND AUTHORISED BY THE SALES DEPARTMENT IN ADVANCE.



COMPULSORY ACCESSORIES FOR BT 100 E/3 - BT 90 PRO

Image	Description	Code	
	<p>19" LCD monitor</p>	<p>8-33100019</p>	
	<p>Inkjet USB A4 colour printer</p>	<p>8-61200237</p>	
	<p>Universal Radio remote control CT with receiver and battery charger</p>	<p>8-61100086</p>	
	<p>Infrared remote control with receiver and battery charger</p>	<p>8-61200146</p>	






COMPULSORY ACCESSORIES FOR BT 100 E/3 - BT 90 PRO

Image	Description	Code	
	Pedal dynamometer kit To be connected to (radio or infrared) remote control	806468073	


OPTIONAL ACCESSORIES FOR BT 100 E/3 - BT 90 PRO

Image	Description	Code	
	Digital gauge for calibrating FS. 2000 Kg passenger car roller tester with measurement report	806268587	
	Passenger car braking force calibration kit Braking force calibration kit for passenger car roller testers	806269370	

OPTIONAL ACCESSORIES FOR BT 100 E/3 - BT 90 PRO

Image	Description	Code	
	<p>Passenger car weighing force calibration kit</p>	806269367	
	<p>Pair of roller protection mats suitable for passage of vehicles.</p>	806250479	
	<p>Universal LCD monitor mounting kit For BT90 PRO only.</p>	8-61200143	
	<p>Calibration kit for car brake tester and BOOGE suspension tester.</p>	806248024	
	<p>Additional multiseri PCI board (8 serial ports) For connecting serial devices (analyser, headlight tester etc.)</p>	8-61200063	

OPTIONAL ACCESSORIES FOR BT 100 E/3 - BT 90 PRO

Image	Description	Code	
SUPPLEMENTARY EQUIPMENT			
   	ST 200E NX (EUSAMA) Suspension Test Bench 400V/3Ph/50Hz	8-61100042	
	ST 200E NX (EUSAMA) Suspension Test Bench .230-400V/3Ph/60Hz	8-62200010	
	ST 200E Installation kit for new pit	8-61100065	
	WP4000 Pair weighing plates	806248012	
	SS300 Dynamic drift test bench	806249243	

ST 200 E-NX

STANDARD ACCESSORIES







General features:

- ST200 is designed to test the suspension function of cars and light vehicles, measuring the grip according to the EUSAMA method.








Code	Description
0-62100302/16	<p>Includes</p> <ul style="list-style-type: none"> -Bench 230-400V / 3Ph / 50Hz - Motor: 2x3 kW -Cabinet with central unit -PC, keyboard and operator's manual <p>Max load 3 t.</p> <p>MONITOR, PRINT AND REMOTE CONTROL WITH RADIO NOT INCLUDED</p>






COMPULSORY ACCESSORIES FOR ST 200 E-NX

Image	Description	Code	
	<p>LCD Monitor 19" SVGA LCD</p>	<p>8-33100019</p>	
	<p>Colour A4 printer ink</p>	<p>8-61200237</p>	
	<p>Universal radio remote control CT</p>	<p>8-61100086</p>	
	<p>Infrared remote control</p>	<p>8-61200146</p>	

OPTIONAL ACCESSORIES FOR ST 200 E-NX

Image	Description	Code	
	<p>Digital gauge for calibrating FS. 2000 Kg passenger car roller tester with measurement report.</p>	806268587	
	<p>Passenger car weighing force calibration kit</p>	806269367	
	<p>Brake tester bench kit epoxy and silica coated</p> <ul style="list-style-type: none">  • 2x4.8 kW  • 400 V / 3Ph / 50 Hz 	806249676	

OPTIONAL ACCESSORIES FOR ST 200 E-NX

Image	Description	Code	
	<p>ICE Brake tester bench kit welded coating</p> <ul style="list-style-type: none">  • 2x4.8 kW electric motors  • 400 V / 50 Hz / 3~ 	806252854	
	<p>SS300 Dynamic drift test bench.</p>	806249243	
<p>INSTALLATION KITS AND OTHERS</p>			
	<p>Installation kit for existing 600 mm pit (1998-2004).</p>	8-61100044	
	<p>Installation kit for existing 600 mm pit (before year 1998) and on-floor installations.</p>	8-61100046	

BT800

STANDARD ACCESSORIES



Cabinato di misura





General features:

- PC with DVD reader and Windows compatible software
- Information and Help display with colour SVGA screen
- A4 colour printer (must be select compulsory and ordered separately)
- Alphanumeric PC keyboard with track ball for pre-selecting tests and setting parameters
- Built-in CE compliant electrical board
- Automatic roller arrest upon reaching slip threshold or max. pedal force.








Code	Description
6111120102/16	Main unit cabinet -22" LCD Colour monitor (NOT INCLUDED)
	Roller block - Monolithic - Load 500 kg - 2,2 Kw gearmotors - Speed: 5 Km/h - Roller dimensions: L = 375 x D: 204 mm - Coated in epoxy powder - Coefficient of grip: 0,8 - Extensometer type measurement cells - Integrated weighing system - Max. braking force: 300 daN

COMPULSORY ACCESSORIES FOR BT800

Image	Description	Code	
	<p>19" LCD monitor</p>	<p>8-33100019</p>	
	<p>Inkjet USB A4 colour printer.</p>	<p>8-61200237</p>	
	<p>Universal LCD monitor mounting kit</p>	<p>8-61200143</p>	
	<p>8 port multiseri board Additional multiseri PCI board</p>	<p>8-61200063</p>	


OPTIONAL ACCESSORIES FOR BT800

Image	Description	Code	
	<p>BT 800 calibrator kit Compulsory for use in roadworthiness testing line</p>	806268198	
	<p>Pair of BT800 low profile asymmetric pneumatic clamps for flush installation</p>	806269344	
	<p>Chassis for flush installation of asymmetric clamp (order 2 units)</p>	806269272	
	<p>Chassis for flush installation of BT800 roller block</p>	806269271	
	<p>Universal Radio remote control CT</p>	8-61100086	




OPTIONAL ACCESSORIES FOR BT800

Image	Description	Code	
IMAGE NOT AVAILABLE	Pedal dinamometer for bikes	8-61100090	



COMPULSORY ACCESSORIES FOR 3/4 WHEEL VEHICLES AND QUAD BIKES

Image	Description	Code	
	<p>RH roller bed Enables testing on 3 and 4 wheelers and quad bikes. Tests are conducted testing one wheel at a time and inverting running direction.</p>	8-61200012	


OPTIONAL ACCESSORIES FOR 3/4 WHEEL VEHICLES AND QUAD BIKES

Image	Description	Code	
	<p>Additional roller bed kit for 3-4 wheelers</p>	<p>8-61200015</p>	
	<p>Quad brake tester update kit</p>	<p>8-61200176</p>	
	<p>Frame for RH roller bed Must be ordered prior to installation</p>	<p>8-61200177</p>	

OPTIONAL ACCESSORIES FOR 3/4 WHEEL VEHICLES AND QUAD BIKES

Image	Description	Code	
	<p>VGA video duplicator kit for connecting a second monitor</p>	<p>8-61200064</p>	
	<p>VGA cable for duplicator 5 metre VGA cable</p>	<p>8-61200071</p>	
	<p>Frame for flush installation of additional roller bed</p>	<p>806269273</p>	

PT400C-1



Codice	Electrical Supply	Descrizione
0-62101801/34	400V / 3Ph / 50Hz	<p>PT400-1C six movements play detector bench.</p> <p>Includes:</p> <ul style="list-style-type: none"> -Slip plates with 6 movements -Complete hydraulic unit. -Electrical control uit -Remote cable control with built-in lamp -Brake lock -Operator's manual <p>Max. operating load 2,5 t x axle, max. transit load 3t x axle</p>




T-PT411

STANDARD ACCESSORIES



Codice	Electrical Supply	Description
0-62101701/00	400V / 3Ph / 50Hz	<p>T-PT411 Includes: -Slip plates with 6 movements -Complete hydraulic unit. -Electrical control uit -Remote control with built-in lamp -Brake lock -Operator's manual Max. operating load 13t x axle, max. transit load 16t x axle Notes: Appropriate installation frames must be ordered for the type of installation chosen</p>

COMPULSORY ACCESSORIES FOR T-PT411

Image	Description	Code	
	Pipes 5,6 mt for play detector 4m	806269488	
	Pipes 4,9 mt for play detector 4m	806269491	
	Pipes 6,4 mt for play detector 4m	806269497	
	Pipes 7,1 mt for play detector 4m	806269498	
	Pair of frames for floor installation with drive on/drive off ramps	1703000009	
	Pair of frames for pit installation	1704000009	

PFT-CAM




TECHNICAL SPECIFICATIONS:

Version on rubber wheels.
 Visualization: touch-screen display 5.7".
 Power supply: Internal rechargeable battery (12 V d.c.).
 Laser alignment.
 Measuring range: Brightness: 0-150.000 (lux/1m); 0-240 lux (lux/25m)
 Input/Output: - RS232 serial interface with DB9 connector - USB port for firmware update
 MCTCNet 2 compatibility: - DIR/RET (only for Italian Market) - Through software module PFT-CAM



Code	Description
0-65500401/34	PFT_CAM LASER Alignment Trolley mounted version. Includes: - Carriage - Serial connection cable - Battery charger/AC adapter - Software MCTCNet 2 - Metrologic manual (for Italian Market) - Instructions manual

OPTIONAL ACCESSORIES FOR PFT-CAM

Image	Description	Code	
	<p>Wheel kit for rails</p>	<p>8-65500002</p>	
<p>IMAGE NOT AVAILABLE</p>	<p>PFT-CAL Calibration kit (for Technical support centres only)</p>	<p>8-65500005</p>	

HT970

STANDARD ACCESSORIES



General features:

- Electronic headlight tester
- Digital Luxmeter with scales in cd and lux
- Preset for connection to a remote unit
- "FRESNEL" lens
- Available in different language
- Supply by 9V internal battery and preset for external power supply




Includes:

- Operator's manual



Code	Description
0-65100201/31	HT970 with laser collimator, on fixed rubberised wheels (EU driving)
0-65100201/31 + 8-62100007	HT970 with laser collimator, on fixed rubberised wheels (EU driving) - set of casters (code 8-62100007) to be ordered separately
0-65100201/31 + 8-62200002	HT970 with laser collimator, on rails (EU driving) - rails kit (code 8-62200002) to be ordered separately
0-65100301/31	HT970 with laser collimator, on fixed rubberised wheels (UK driving)
0-65100301/31 + 8-62100007	HT970 with laser collimator, for motorcycle testing (UK driving) - set of casters (code 8-62100007) to be ordered separately
0-65100301/31 + 8-62200002	HT970 with laser collimator, on rails (UK driving) - rails kit (code 8-62200002) to be ordered separately

OPTIONAL ACCESSORIES FOR HT970

Image	Description	Code	
	<p>Basic rail set L = 3600 mm.</p>	<p>806285321</p>	
	<p>Additional rail set L = 1250 mm.</p>	<p>1336000009</p>	
	<p>Software HT970 headlight tester kit.</p>	<p>8-61100064</p>	

GAS810



COD. 0-64502112

GAS830



COD. 0-64503201



COD. 0-64503202



STANDARD ACCESSORIES



General features:

- Exhaust gas analyser for petrol, methane and LPG fuelled engines
- Analyses 4 gases (CO, CO₂, HC, O₂) and NO_x (with additional sensor)
- Lambda factor calculation
- Engine speed and temperature measurement (only with additional probe)
- Integrated connections: 1 RS232 serial port, 1 PS2 port
- Operating temperature range 5-40 °C
- Internal battery power (with accessory kit)




Includes:

- Serial cable for connection to PC
- CD ROM with software for PC connection
- 1 Gas sampling probe
- 1 operator's manual



Code	Description
0-64502112	GAS 810 "Extended" module with battery and Blue Tooth
0-64503201	GAS 830 "Client" unit for installation on multifunctio ⁿ testing lines
0-64503202	GAS 830 "Basic" module with battery and BT.

OPTIONAL ACCESSORIES FOR GAS810_ GAS830

Image	Description	Code	
	<p>Must be purchased for a gas analyser connected to a motorcycle testing line</p>	8-64200009	
	<p>Slave Bluetooth radio module for gas analyser. Internal installation. Must be installed by specialised technician. Ordering instruments already equipped with the module is recommended.</p>	8-64500003	
	<p>Master Bluetooth radio module for PC</p>	6011000007	

OPA 820



COD. 0-64502312

OPA 840



COD. 0-64503401



COD. 0-64503402

STANDARD ACCESSORIES



General features:





- Instrument for measuring exhaust gas opacity for diesel engines in passenger cars and industrial vehicles
- Engine speed and temperature measurement (only with additional probe)
- Integrated connections: 1 RS232 serial port, 1 PS2 port
- Operating temperature range 5-40 °C
- Internal battery power (with accessory kit)

Includes:




- 1 Serial cable for connection to PC
- 1 CD-rom con software Router PC, modulo DIR
- 1 Gas sampling probe with exhaust fixing clip
- 1 Operator's manual

Code	Description
0-64502312	OPA 820 "Basic" module with battery and BT
0-64503401	OPA 840 "Client" unit for installation on multifuncti on n testing lines
0-64503402	OPA 840 "Basic" module.


OPTIONAL ACCESSORIES FOR - OPA820-OPA840

Image	Description	Code	
	Slave Bluetooth radio module for smoke meter Internal installation	8-64500009	
	Master Bluetooth radio module for PC	6011000007	
	Kit calibration filters	6013000015	
	Exhaust gas sampling extension	8-63500011	

OPTIONAL ACCESSORIES FOR GAS ANALYSERS AND SMOKE METERS

Image	Description	Code	
	<p>Single unit trolley</p>	<p>8-64200134</p>	
	<p>Double unit trolley</p>	<p>8-64200135</p>	
	<p>Internal battery kit 12V - 7A/h lead acid battery + cable. Internal installation. Ordering instruments already equipped with battery is recommended.</p>	<p>8-64500001</p>	


OPTIONAL ACCESSORIES FOR GAS ANALYSERS AND SMOKE METERS

Image	Description	Code	
	<p>USB/RS232 serial adapter cable For connection to PC where there are no available COM ports for connecting gas analysers/smoke meters by cable.</p>	8-64500002	
IMAGE NOT AVAILABLE	<p>DB9 M/F serial extension L=10 mt</p>	8-64200003	

RPM COUNTER 165



COD. 0-64503066



COD. 0-64503065

GENERAL FEATURES:

Compliant with MCTCNet2
 Universal RPM detector and display unit for petrol and diesel engines.

RPM and oil temperature detection directly from the vehicle's EOBD socket, or direct RPM detection from the vehicle via the battery.






Complete with:

- 1 User manual
- 1 EOBD measurement cable
- 1 Battery measurement cable



Code	Description
8-64503065	RPM Counter 165 + KIT RPM Battery
8-64503066	RPM Counter + EOBD cable

ACCESSORIES FOR RPM COUNTER 165

Image	Description	Code	
	<p>Accessory for measuring the RPM from the vehicle battery, EOBd cable / battery connection.</p>	8-64502016	
	<p>Accessory for measuring the RPM from the vehicle battery and the vehicle oil temperature.</p>	8-64502068	
	<p>Oil temperature probe (must be connected at 8-64500019)</p>	8-63500006	
	<p>Bluetooth kit for EOBd counter</p>	6011000007	
	<p>Vibration RPM adapter</p>	8-63502007	



NEXION S.p.A.
Strada Statale 468 n° 9 - 42015 CORREGGIO - R.E. - ITALY
Tel. +39 0522 639.111 - Fax +39 0522 639.150 - www.corgi.com - info@corgi.com



To protect the planet and reduce paper usage, our catalogues are viewable online at the website www.corgi.com. Printing responsibly contributes to saving the environment.

The manufacturer reserves the right to modify the features of its products at any time.
Code DPCGG000245_TE_EX_03-2026