




EQUIPMENT CATALOGUE EXPORT

MISCELLANEOUS and Original Accessories

EFFECTIVE FROM MARCH 2026

REL. MARCH 2026

COLOR TABLE

RAL 3002		Corghi Red / Citroen	/16
RAL 9007		Mercedes Grey	/37
RAL 7040		Volkswagen Grey / Fiat	/39
RAL 7030		Maserati / Ferrari Grey	/69
RAL 7016		BMW Grey	/34
RAL 5002		Peugeot Blue	/20
RAL 1003		Renault Yellow	/45

Different colors subject to confirmation of the Export dept, with possible surcharge.

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

AUXILIARY WHEEL LIFTERS	4
PARTNER 70	4
RIM REPAIR SYSTEM	5
RR104	5
RR206	5
IMPACT WRENCHES	7
SERIE AV	7
VULCANIZERS	10
VP1 - VP2 - VP3	10
VP4 - VP5 - VP5L	11
TYRE SPREADERS	13
SP 17	13
TYRE SPREADERS OPTIONAL ACCESSORIES	14
TYRE TEST TANKS	15
TS18 - TS24	15
NITROGEN GENERATORS	16
SERIE C&S	16
AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION	19
A/C 1100 SERIES	19
A/C 1105 SERIES	20
A/C 1600 SERIES	21
A/C 1605 SERIES	22
WHEEL WASHER	24
WED 850	24

PARTNER 70**INFORMATION**

Battery-Operated Wheel Lifter - it helps to easily and safely demount, move and mount the wheels of cars, SUVs and LT vehicles weighting up to 70kg




Code	Electrical Supply	Description	
8-21120018/64		PARTNER 70 forks lenght 300 mm	
8-21100263/64		PARTNER 70 forks lenght 500 mm	

RR104



STANDARD ACCESSORIES



RR206





STANDARD ACCESSORIES



Code	Electrical Supply	Description
0-51100801/16	400V/3Ph/50-60Hz	RR104 Rim Repair System (rim Ø 10" - 24")
0-51100802/16	230V/1Ph/50-60Hz	RR104 Rim Repair System (rim Ø 10" - 24")
0-51100901/16	400V/3Ph/50-60Hz	RR206 Rim Repair System (rim Ø 10" - 26")
0-51100902/16	230V/1Ph/50-60Hz	RR206 Rim Repair System (rim Ø 10" - 26")

RIM REPAIR SYSTEM OPTIONAL ACCESSORIES

Image	Description	Code		RR 104	RR 206																		
	<p>Bushing kit ø56,1÷69,9 H10</p> <table border="1" data-bbox="1137 451 1630 802"> <thead> <tr> <th>CODE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td>4-121847</td><td>Center Washer ø 69,9</td></tr> <tr><td>4-121849</td><td>Center Washer ø 69</td></tr> <tr><td>4-121851</td><td>Center Washer ø 56,1</td></tr> <tr><td>4-121852</td><td>Center Washer ø 66,1</td></tr> <tr><td>4-121853</td><td>Center Washer ø 66,45</td></tr> <tr><td>4-121854</td><td>Center Washer ø 67,1</td></tr> <tr><td>4-121855</td><td>Center Washer ø 69,1</td></tr> <tr><td>4-121858</td><td>Center Washer ø 67</td></tr> </tbody> </table>	CODE	DESCRIPTION	4-121847	Center Washer ø 69,9	4-121849	Center Washer ø 69	4-121851	Center Washer ø 56,1	4-121852	Center Washer ø 66,1	4-121853	Center Washer ø 66,45	4-121854	Center Washer ø 67,1	4-121855	Center Washer ø 69,1	4-121858	Center Washer ø 67	8-51100061		O	O
CODE	DESCRIPTION																						
4-121847	Center Washer ø 69,9																						
4-121849	Center Washer ø 69																						
4-121851	Center Washer ø 56,1																						
4-121852	Center Washer ø 66,1																						
4-121853	Center Washer ø 66,45																						
4-121854	Center Washer ø 67,1																						
4-121855	Center Washer ø 69,1																						
4-121858	Center Washer ø 67																						
	<p>Bushing kit ø70,2÷76 H10</p> <table border="1" data-bbox="1137 869 1630 1204"> <thead> <tr> <th>CODE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td>4-121846</td><td>Center Washer ø 70,9</td></tr> <tr><td>4-121848</td><td>Center Washer ø 71,4</td></tr> <tr><td>4-121856</td><td>Center Washer ø 70,2</td></tr> <tr><td>4-121857</td><td>Center Washer ø 74,1</td></tr> <tr><td>4-121859</td><td>Center Washer ø 70,3</td></tr> <tr><td>4-121860</td><td>Center Washer ø 72,2</td></tr> <tr><td>4-121861</td><td>Center Washer ø 73,1</td></tr> <tr><td>4-121862</td><td>Center Washer ø 76</td></tr> </tbody> </table>	CODE	DESCRIPTION	4-121846	Center Washer ø 70,9	4-121848	Center Washer ø 71,4	4-121856	Center Washer ø 70,2	4-121857	Center Washer ø 74,1	4-121859	Center Washer ø 70,3	4-121860	Center Washer ø 72,2	4-121861	Center Washer ø 73,1	4-121862	Center Washer ø 76	8-51100062		O	O
CODE	DESCRIPTION																						
4-121846	Center Washer ø 70,9																						
4-121848	Center Washer ø 71,4																						
4-121856	Center Washer ø 70,2																						
4-121857	Center Washer ø 74,1																						
4-121859	Center Washer ø 70,3																						
4-121860	Center Washer ø 72,2																						
4-121861	Center Washer ø 73,1																						
4-121862	Center Washer ø 76																						

SERIE AV

AV 100



AV 102



AV 150







AV 200 / AV 201






Code	Description
0-51101101/16	AV 100 1/2" L impact wrench with square drive 1/2", anvil length 90mm (available until stocks last)
0-51101701/90	AV 102 1/2" impact wrench with square drive 1/2"
0-51101801/90	AV 102 1/2" L impact wrench with square drive 1/2", anvil length 51.4 mm
0-51101201/16	AV 150 3/4" for earth movement and farming vehicles, impact wrench with square drive 3/4"
0-51101301/16	AV 150 3/4" L for earth movement and farming vehicles, impact wrench with square drive 3/4", anvil length 156,50 mm
0-51101401/16	AV 200 1" for truck and buses, impact wrench with square drive 1" (available until stocks last)
0-51101501/16	AV 200 1" L for truck and buses, impact wrench with square drive 1" anvil length 156,50 mm (available until stocks last)
0-51101402/16	AV 201 1" for truck and buses, impact wrench with square drive 1" (reinforced)
0-51101502/16	AV 201 1" L for truck and buses, impact wrench with square drive 1" anvil length 156,50 mm (reinforced)

IMPACT WRENCHES OPTIONAL ACCESSORIES

Image	Description	Code		AV 100	AV 150	AV 200
	Turning connectors 1/2"	8-51100039		-	O	O
	Turning connectors 1/4"	8-51100040		O	-	-
	Impact socket 1/2"x 17 mm, short	8-51100041		O	-	-
	Impact socket 1/2"x 19 mm, short	8-51100042		O	-	-
	Impact socket 1/2"x 21 mm, short	8-51100043		O	-	-
	Impact socket 3/4"x 24 mm, short	8-51100045		-	O	-
	Impact socket 3/4"x 26 mm, short	8-51100044		-	O	-
	Impact socket 3/4"x 27 mm, short	8-51100046		-	O	-
	Impact socket 1" x 30 mm, short	8-51100047		-	-	O
	Impact socket 1" x 32 mm, short	8-51100048		-	-	O
	Impact socket 1" x 33 mm, short	8-51100049		-	-	O

IMPACT WRENCHES OPTIONAL ACCESSORIES

Image	Description	Code		AV 100	AV 150	AV 200
	Torque extension Ø12 mm 1". Max Torque Nm 630	8-51100050		-	-	O
	Torque extension Ø13mm 1". Max Torque Nm 760	8-51100051		-	-	O
	Torque extension Ø14 mm 1". Max Torque Nm 850	8-51100052		-	-	O
	Nipple male thread 1/4"	8-51100053		O	-	-
	Nipple male thread 1/2"	8-51100054		-	O	O
	Couple hose barb Ø8 mm	8-51100055		O	-	-
	Couple hose barb Ø13 mm	8-51100056		-	O	O

VP1 - VP2 - VP3




Code	Electrical Supply	Description	
5100010101	230V / 1Ph / 50-60Hz	VP1 Vulcanizers with manual lever operated plate clamping	
5100020101	230V / 1Ph / 50-60Hz	VP2 Vulcanizers with air-operated closing mechanism, to repair inner tubes and lightweight tyres	
5100030101	230V / 1Ph / 50-60Hz	VP3 Vulcanizers Strongly built and easy to use, ideal to repair inner tubes and light weight tyres 600W heating plate.	

VP4 - VP5 - VP5L



Code	Electrical Supply	Description	
5100040101	230V / 1Ph / 50-60Hz	VP4 Vulcanizer with double heating plate aioperated system to close the plates monitored by a pressure governor.	
5100050101	230V / 1Ph / 50-60Hz	VP5 Vulcanizer with mechanically closed double heating plate.	
5100060101	230V / 1Ph / 50-60Hz	VP5/L Vulcanizer with mechanically closed double heating plate. Portable and easy to handle. Complete with 120 minutes timer. Two wide 600 W heating plates.	

VULCANIZERS OPTIONAL ACCESSORIES



Image	Description	Code	
	<p>Support stand</p>	<p>805420833</p>	

SP 17



Code	Electrical Supply	Description	
5200010101	400V / 3Ph / 50-60Hz	SP17 To inspect car and light vehicles tyres.	

TYRE SPREADERS OPTIONAL ACCESSORIES

Image	Description	Code		SP17
	Sander	805491444		O
	Sunction unit	805491445		O

TS18 - TS24



Code	Description	
5300040101	TS18 A Air-operated with 6/8 bar operating pressure, complete with wheel holder lifting and lowering control. Maximum wheel diameter 800 mm. Maximum wheel width 320 mm.	
5300020101	TS24 Complete with air filter, air-operated with 8 bar operating pressure. Maximum wheel diameter 1300 mm. Maximum wheel width 500 mm.	

SERIE C&S

C&S 300



C&S 500







C&S 1800



Code	Description	
0-55101200/16	C&S 300 Nitrogen generator with capacity 3,0 Nm ³ /h (3000 lit/h)	
0-55101300/16	C&S 500 Nitrogen generator with capacity 5,0 Nm ³ /h (5000 lit/h)	
0-55101600/16	C&S 1800 Nitrogen generator with capacity 18,0 Nm ³ /h (18.000 lit/h)	

NITROGEN GENERATORS OPTIONAL ACCESSORIES

Image	Description	Code	
	<p>WS Cyclonic condensate separator.</p>	<p>8-5360000</p>	
	<p>AT Pipes take-up.</p>	<p>8-5560001</p>	
	<p>PSG Professional inflating and deflating pistol.</p>	<p>8-5560002</p>	
	<p>EC Inflating and deflating pistol, pressure gauge BAR G 1/4"</p>	<p>8-11100362</p>	

NITROGEN GENERATORS OPTIONAL ACCESSORIES

Image	Description	Code	
	<p>EC Inflating and deflating pistol, pressure gauge BAR and PSI G 1/4"</p>	8-51120007	
	<p>NT Kit for measuring purity</p>	8-11600127	
	<p>Filter cartridges 3-5 Nm3/h</p>	8-55600023	
	<p>Filter cartridges 20 Nm3/h</p>	8-55600024	
	<p>Air contamination indicator</p>	8-55600025	

A/C 1100 SERIES



Code	Electrical Supply	Description	
0-66501001/64	230V/1Ph/50-60Hz	A/C1100 Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66501401/64	230V/1Ph/50-60Hz	A/C1100P Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1105 SERIES



Code	Electrical Supply	Description	
0-66501101/64	230V/1Ph/50-60Hz	A/C1105 Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66501501/64	230V/1Ph/50-60Hz	A/C1105P Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1600 SERIES



Code	Electrical Supply	Description	
0-66501201/64	230V/1Ph/50-60Hz	A/C1600 Fully automatic Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection	
0-66501601/64	230V/1Ph/50-60Hz	A/C1600P Fully automatic Air Conditioning recharging station , R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display , Wi-Fi/BT connection, printer included	

A/C 1605 SERIES




Code	Electrical Supply	Description	
0-66501301/64	230V/1Ph/50-60Hz	A/C 1605 Fully automatic Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection	
0-66501701/64	230V/1Ph/50-60Hz	A/C 1605P Fully automatic Air Conditioning recharging station , R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection, printer included	

AIR CONDITION RECHARGE STATION OPTIONAL ACCESSORIES

Image	Description	Code	
	High/low pressure pipes kit L=4,5 mt for, R1234yf refrigerant	8-66500010	
	High/low pressure pipes kit L=4,5 mt, for R134a refrigerant	8-66500011	
	Leak detector with Nitrogen	8-66500209	
	Leak detector kit including UV lamp and glasses only.	6019000305	




WED 850

STANDARD ACCESSORIES







Code	Electrical Supply	Description
0-55100800/16	400V / 3Ph / 50Hz	WED 850 B Steel tank without heater
0-55100700/16	400V / 3Ph / 50Hz	WED 850 P Steel tank and heater
0-55100900/16	230V / 3Ph / 50Hz	WED 850 P Steel tank and heater
0-55101500/16	400V / 3Ph / 50Hz	WED 850 T Stainless steel tank and heater
0-55101511/16	230V / 3Ph / 60Hz	WED 850 T Stainless steel tank and heater

WHEEL WASHER OPTIONAL ACCESSORIES

Image	Description	Code	
 <p>x2</p>	<p>RTP kit, replacing kit for drive roller</p>	<p>8-55600026</p>	
 <p>x2</p>	<p>RSA kit, replacing kit for support roller</p>	<p>8-55600027</p>	
	<p>Wheel lifter</p>	<p>8-51120005</p>	

WHEEL WASHER OPTIONAL ACCESSORIES

Image	Description	Code	
	<p>Set of granules for filling (15kg)</p>	<p>8-51100063</p>	
	<p>Non-foaming liquid detergent 10 lt</p>	<p>8-55600010</p>	
	<p>VSS Ball faucet for water drainage</p>	<p>8-55600019</p>	
	<p>RCS Elbow fitting for water drainage</p>	<p>8-55600018</p>	





NEXION S.p.A.
Strada Statale 468 n° 9 - 42015 CORREGGIO - R.E. - ITALY
Tel. +39 0522 639.111 - Fax +39 0522 639.150 - www.corghi.com - info@corghi.com



To protect the planet and reduce paper usage, our catalogues are viewable online at the website www.corghi.com. Printing responsibly contributes to saving the environment.

The manufacturer reserves the right to modify the features of its products at any time.
Code - DPCG000245_ME_EX 03-2026